

## Chronic Pain Care Process Model (CPM)

- 1 ] Chou R, Fanciullo GJ, Fine PG, et al; American Pain Society-American Academy of Pain Medicine Opioids Guidelines Panel. Clinical guidelines for the use of chronic opioid therapy in chronic noncancer pain. *J Pain*. 2009;10(2):113–130.
- 2 ] Institute for Clinical Systems Improvement (ICSI). Assessment and management of chronic pain. [http://www.icsi.org/guidelines\\_and\\_more/gl\\_os\\_prot/musculo-skeletal/pain\\_\\_\\_chronic\\_\\_\\_assessment\\_and\\_management\\_of\\_14399/pain\\_\\_\\_chronic\\_\\_\\_assessment\\_and\\_management\\_of\\_14400.html](http://www.icsi.org/guidelines_and_more/gl_os_prot/musculo-skeletal/pain___chronic___assessment_and_management_of_14399/pain___chronic___assessment_and_management_of_14400.html). Published November 2009. Accessed January 4, 2011.
- 3 ] Utah Department of Health. *Utah Clinical Guidelines on Prescribing Opioids for Treatment of Pain*. <http://health.utah.gov/prescription/pdf/guidelines/final.04.09opioidGuidlines.pdf>. Accessed January 4, 2011.
- 4 ] Federation of State Medical Boards. *Model Policy for the Use of Controlled Substances for the Treatment of Pain*. [http://www.fsmb.org/pdf/2004\\_grpol\\_controlled\\_substances.pdf](http://www.fsmb.org/pdf/2004_grpol_controlled_substances.pdf). Accessed January 4, 2011.
- 5 ] United States Department of Veteran's Affairs, Department of Defense, Management of Opioid Therapy for Chronic Pain Working Group. *VA/DoD Clinical Practice Guideline for the Management of Opioid Therapy for Chronic Pain*. [http://www.healthquality.va.gov/Chronic\\_Opioid\\_Therapy\\_COT.asp](http://www.healthquality.va.gov/Chronic_Opioid_Therapy_COT.asp). Published May 2010. Accessed January 4, 2011.
- 6 ] Nicholson B, Passik SD. Management of chronic noncancer pain in the primary care setting. *South Med J*. 2007;100(10):1028–1036.
- 7 ] Krueger A, Stone A. Assessment of pain: a community-based diary survey in the USA. *Lancet*. 2008;371(9623):1519–1525.
- 8 ] Centers for Disease Control and Prevention. Increase in poisoning deaths caused by nonillicit drugs ---Utah, 1991—2003. *MMWR*. 2005;54(02):33–36.
- 9 ] International Association for the Study of Pain, Subcommittee on Taxonomy. Classification of chronic pain: descriptions of chronic pain syndromes and definitions of pain terms. *Pain Suppl*. 1986;3:S1–S226.
- 10 ] Gourlay DL, Heit HA, Almahrezi A. Universal precautions in pain medicine: a rational approach to the treatment of chronic pain. *Pain Med*. 2005;6(2):107–112.
- 11 ] Hartsfield CL, Korner EJ, Ellis JL, Raebel MA, Merenich J, Brandenburg N. Painful diabetic peripheral neuropathy in a managed care setting: patient identification, prevalence estimates, and pharmacy utilization patterns. *Popul Health Manag*. 2008;11(6):317–328.
- 12 ] Heuch I, Hagen K, Heuch I, Nygaard Ø, Zwart JA. The impact of body mass index on the prevalence of low back pain: the HUNT study. *Spine*. 2010;35(7):764–768.
- 13 ] Shi Y, Weingarten TN, Mantilla CB, Hooten WM, Warner DO. Smoking and pain: pathophysiology and clinical implications. *Anesthesiology*. 2010;113(4):977–992.
- 14 ] U.S. Department of Justice, Drug Enforcement Administration, Office of Diversion Control. *Don't Be Scammed by a Drug Abuser*. <http://www.deadiversion.usdoj.gov/pubs/brochures/drugabuser.htm>. Accessed January 3, 2011.
- 15 ] Ohayon MM, Schatzberg AF. Chronic pain and major depressive disorder in the general population. *J Psychiatr Res*. 2010;44(7):454–461.
- 16 ] Lanier D, Ko S; Agency for Healthcare Research and Quality. *Screening In Primary Care Settings for Illicit Drug Use: Assessment of Screening Instruments — A Supplemental Evidence Update for the U.S. Preventive Services Task Force. Evidence synthesis No. 58, Part 2. AHRQ Publication No. 08-05108-EF-2*. <http://www.uspreventiveservicestaskforce.org/uspstf08/druguse/drugvup.pdf>. Published January 2008. Accessed January 4, 2011.
- 17 ] Roehrs TA; Workshop Participants. Does effective management of sleep disorders improve pain symptoms? *Drugs*. 2009;69 (Suppl 2):5–11.
- 18 ] Davies KA, Macfarlane GJ, Nicholl BI, et al. Restorative sleep predicts the resolution of chronic widespread pain: results from the EPIFUND study. *Rheumatology (Oxford)*. 2008;47(12):1809–1813.
- 19 ] Lautenbacher S, Kundermann B, Krieg JC. Sleep deprivation and pain perception. *Sleep Med Rev*. 2006;10(5):357–369.
- 20 ] van Middelkoop M, Rubinstein SM, Verhagen AP, Ostelo RW, Koes BW, van Tulder MW. Exercise therapy for chronic nonspecific low-back pain. *Best Pract Res Clin Rheumatol*. 2010;24(2):193–204.
- 21 ] Perez RS, Zollinger PE, Dijkstra PU, et al; CRPS Task Force. Evidence based guidelines for complex regional pain syndrome type 1. *BMC Neurol*. 2010;10:20.
- 22 ] Argoff CE, Backonja MM, Belgrade MJ, et al. Consensus guidelines: treatment planning and options. Diabetic peripheral neuropathic pain. *Mayo Clinic Proc*. 2006;81(4 Suppl):S12–S25.
- 23 ] Zhang W, Moskowitz RW, Nuki G, et al. OARSI recommendations for the management of hip and knee osteoarthritis, Part II: OARSI evidence-based, expert consensus guidelines. *Osteoarthritis Cartilage*. 2008;16(2):137–162.
- 24 ] Manchikanti L, Boswell MV, Singh V, et al; American Society of Interventional Pain Physicians (ASIPP) Interventional Pain Management (IPM). Comprehensive evidence-based guidelines for interventional techniques in the management of chronic spinal pain. *Pain Physician*. 2009;12(4):699–802.

- 25 ] Washington State Agency Medical Directors' Group. *Interagency Guideline on Opioid Dosing for Chronic Non-cancer Pain: An Educational Pilot to Improve Care and Safety With Opioid Treatment - 2010 Update*. <http://www.agencymeddirectors.wa.gov/opioiddosing.asp>. Accessed January 4, 2011.
- 26 ] Butler SF, Fernandez K, Benoit C, Budman SH, Jamison RN. Validation of the revised Screener and Opioid Assessment for Patients with Pain (SOAPP-R). *J Pain*. 2008;9(4):360–372.
- 27 ] Butler SF, Budman SH, Fernandez KC, et al. Development and validation of the Current Opioid Misuse Measure. *Pain*. 2007;130(1-2):144–156.
- 28 ] Tan G, Jensen MP, Thornby JI, Shanti BF. Validation of the Brief Pain Inventory for chronic nonmalignant pain. *J Pain*. 2004;5(2):133–137.
- 29 ] Smith CA, Wallston KA, Dwyer KA, Dowdy SW. Beyond good and bad coping: a multidimensional examination of coping with pain in persons with rheumatoid arthritis. *Ann Behav Med*. 1997;19(1):11–21.
- 30 ] HB 28, 59th Leg, Gen Session (Ut 2010).
- 31 ] Teets RY, Dahmer S, Scott E. Integrative medicine approach to chronic pain. *Prim Care*. 2010;37(2):407–421.
- 32 ] Ziegler D, Nowak H, Kempler P, Vargha P, Low PA. Treatment of symptomatic diabetic polyneuropathy with the antioxidant alpha-lipoic acid: a meta-analysis. *Diabet Med*. 2004;21(2):114–121.
- 33 ] Sima A, Calvani M, Mehra M, Amato A. Acetyl-L-carnitine improves pain, nerve regeneration, and vibratory perception in patients with chronic diabetic neuropathy: an analysis of two randomized placebo-controlled trials. *Diabetes Care*. 2005;28(1): 89–94.
- 34 ] Trescot AM, Glaser SE, Hansen H, Benyamin R, Patel S, Manchikanti L. Effectiveness of opioids in the treatment of chronic non-cancer pain. *Pain Physician*. 2008;11(2 Suppl): S181–S200.
- 35 ] Bohnert AS, Valenstein M, Bair MJ, et al. Association between opioid prescribing patterns and opioid overdose-related deaths. *JAMA*. 2011;305(13):1315–1321.
- 36 ] Bateman K, Cochella S, Dove B, et al. Root cause analysis for unintentional overdose deaths involving opioids in chronic pain patients reveals disproportionate methadone involvement. Presented at: 2010 American Academy of Pain Medicine Annual Meeting; February 3-6, 2010; San Antonio, TX. [http://www.zerodeaths.org/event/?event\\_id=139](http://www.zerodeaths.org/event/?event_id=139). Accessed January 4, 2011.
- 37 ] Modesto-Lowe V, Brooks D, Petry N. Methadone deaths: risk factors in pain and addicted populations. *J Gen Intern Med*. 2010;25(4):305–309.
- 38 ] Substance Abuse and Mental Health Services Administration Office of Applied Studies. *Results from the 2008 National Survey on Drug Use and Health: National Findings*. DHHS Publication No. SMA 09-4434, NSDUH Series H-36. <http://www.oas.samhsa.gov/nsduhLatest.htm>. Accessed January 4, 2011.
- 39 ] American Academy of Pain Medicine, the American Pain Society and the American Society of Addiction Medicine. Definitions related to the use of opioids for the treatment of pain. *WMJ*. 2001;100(5):28–29.
- 40 ] Goldenberg DL, Burckhardt C, Crofford L. Management of fibromyalgia syndrome. *JAMA*. 2004;292(19):2388–2395.
- 41 ] Institute for Clinical Systems Improvement (ICSI). *Diagnosis and Treatment of Headache*. [http://www.icsi.org/headache/headache\\_\\_diagnosis\\_and\\_treatment\\_of\\_2609.html](http://www.icsi.org/headache/headache__diagnosis_and_treatment_of_2609.html). Published March 2009. Accessed January 4, 2011.
- 42 ] National Institute for Health and Clinical Excellence. *Neuropathic Pain: The Pharmacological Management of Neuropathic Pain in Adults in Non-specialist Settings*. [www.nice.org.uk/guidance/CG96](http://www.nice.org.uk/guidance/CG96). Updated July 8, 2010. Accessed January 4, 2011.
- 43 ] Jarrell JF, Vilos GA, Allaire C, et al; Chronic Pelvic Pain Working Group, Society of Obstetricians and Gynaecologists of Canada. Consensus guidelines for the management of chronic pelvic pain. *J Obstet Gynaecol Can*. 2005;27(9):869–910.
- 44 ] Bathon JM, Cohen SB. The 2008 American College of Rheumatology recommendations for the use of nonbiologic and biologic disease-modifying antirheumatic drugs in rheumatoid arthritis: where the rubber meets the road. *Arthritis Rheum*. 2008;59(6):757–759.